



YOUR TOTAL FENCING SOLUTIONS
SINCE 1987

www.yiksing.com.my



Perniagaan Yik Sing Sdn. Bhd.

more than

experience in manufacturing of
wire mesh and chain-link
fencing products.



WT WELDED FENCE FA / ROLL TOP WELDED FENCE



GRID SPACING (MM)	50mm x 150mm
WIRE DIAMETER (MM)	5mm
WT FA WELDED FENCE PANEL STANDARD SIZE	900mm (H) X 2400mm (W) 1200mm (H) X 2400mm (W) 1500mm (H) X 2400mm (W) 1800mm (H) X 2400mm (W) 2100mm (H) X 2400mm (W) 2400mm (H) X 2400mm (W)
POST SPECIFICATION (MM)	GALVANISED POST Ø60mm COMPLETE WITH CLIPS, BOLTS & NUTS SET
FINISHING	HOT DIPPED GALVANIZED



Applications for



Gated Community



Landscape



Commercial Complex



Playground & Amusement Park



Stadium

WT WELDED FENCE FV

- Comprises of 'V' Shapes to enhance aesthetic & rigidity
- Similar to the popular FA series welded fence, but with more competitive pricing



GRID SPACING (MM)	50mm x 150mm
WIRE DIAMETER (MM)	5mm
WT FV WELDED FENCE PANEL STANDARD SIZE	1200mm(H) X 2400mm (W) 1500mm(H) X 2400mm (W) 1800mm(H) X 2400mm (W) 2100mm(H) X 2400mm (W) 2400mm(H) X 2200mm (W)
POST SPECIFICATION (MM)	GALVANISED POST Ø60mm COMPLETE WITH CLIPS, BOLTS & NUTS SET OR POWDER COATED - SILVER
FENCE FINISHING	HOT DIPPED GALVANIZED

Applications for

Gated Community


Landscape

Commercial Complex

Playground & Amusement Park

Stadium

WT ANTI CLIMB FENCE



Highly regarded as the highest degree of physical perimeter protection, (most difficult fence to penetrate).




GRID SPACING (MM)	12.5mm x 75mm 25mm x 75mm
WIRE DIAMETER (MM)	4mm
ANTICLIMB PANEL STANDARD SIZE	1500mm(H) X 2400mm (W) 1800mm(H) X 2400mm (W) 2100mm(H) X 2400mm (W) 2400mm(H) X 2400mm (W)
POST SPECIFICATION (MM)	HOLLOW POST 50MM X 70MM, COMPLETE WITH FLAT BAR, CLIPS, BOLTS & NUTS SET
FENCE FINISHING	HOT DIPPED GALVANIZED

WT CHAIN LINK FENCING

(PVC COATED / GI)



The most economical / cheapest fencing solutions We able to manufacture all sizes to suit.



TYPE	GI OR PVC COATED
GAUGE	6, 8, 9, 10, AND 12 GAUGE (G) GALVANIZED CORE WIRE
HEIGHTS	3', 4', 5', 6', 7', 8', 9', 10', 11', 12' (FEET) (0.9M, 1.2M, 1.5M, 1.8M, 2.1M, 2.4M, 2.7M, 3M, 3.3M, 3.6M))
SPACING	2", 2½" AND 3" (INCH)
COLORS	FOREST GREEN, ORANGE, YELLOW, BLUE, BLACK, GALVANISED



SECURITY BARBED TYPE

CONCERTINA BARBED TAPE



500MM	6KG	6-7METRE	20FT
700MM	8KG	7-8METRE	25FT
1000MM	10KG	8-9METRE	30FT

FINISHING : GALVANISED



FLAT WRAP BARBED TAPE



STRAIGHT BARBED TAPE





500MM 6KG 8-9METRE
FINISHING : GALVANISED



500MM 6KG 8-9METRE
FINISHING : GALVANISED

STAINLESS STEEL BARBED TAPE



1000MM 10KG 8-9METRE 30FT

MATERIAL : STAINLESS STEEL

SECURITY BLADE



MODERN HOUSING SECURITY OPTION

**1.25M(L) X 2MM THICKNESS
FINISHING : GALVANISED**

DEER / CATTLE FENCE



HEIGHT / NO. OF LINES	1.5M (H) / 12 LINES 1.8M (H) / 15 LINES
THICKNESS	2.5MM
LENGTH PER ROLL	50METRE
FINISHING : GI WIRE	



SECURITY BARBED WIRE

HIGH TENSIL BARB WIRE



160GM | 12.5KG | 250METRE

MATERIAL : STAINLESS STEEL



Mild Steel



High Tensile

PVC / GI BARB WIRE




13	2.20	6KG ,10KG
14	2.00	6KG ,10KG
15	1.80	6KG ,10KG
16	1.60	6KG ,10KG

FINISHING : GI / PVC COATED



GABION CAGE PVC / GI



G1	1M X 1M X 1M	2.4MM
G1	2M X 1M X 1M	2.4MM
G1	3M X 1M X 1M	2.4MM
G1	2M X 1M X 0.3M	2.7MM
G1	1M X 1M X 0.5M	2.7MM

FINISHING : GI / PVC COATED




BRC WIRE MESH

BRC HARD DRAWN



2208	8G	6 FT X 10 FT
2209	9G	6 FT X 10 FT
2210	10G	6 FT X 10 FT
2211	11G	6 FT X 10 FT
2213	13G	6 FT X 10 FT
2216	16G	6 FT X 10 FT
2108	8G	6 FT X 10 FT
2110	10G	6 FT X 10 FT
2111	11G	6 FT X 10 FT



BRC GI WIRE MESH



BRC WELDED MESH




CHICKEN MESH / NETTINGS





WT ECO GRASS



Tired of mowing, watering and landscape maintenance?

WHY NOT TRY WT ECO GRASS TODAY?

WT Eco Grass is an eco friendly premium synthetic grass that is widely used in major landscape design both indoor and outdoor for gardens, childcare, offices, playground, and in-home interior fitting for a softer touch.

It is maintenance free, allergen free, water saving, and is safe for children and pets.



No Water



No Brown Spots



No Mowing



No Pesticides




No Fertilizing



No Mud



Always Green



Save Money



SPECIFICATIONS

PILE HEIGHT (MM)	35mm
GAUGE	3/8"
STITCH / METER (M)	180s/m
ACCESSORIES	Joint tape & Glue

Perniagaan Yik Sing Sdn. Bhd. is a privately owned company incorporated since 1987 in Jinjang Selatan, Kuala Lumpur, Malaysia; with more than 30 years experience in manufacturing of wire mesh and chain-link fencing products.






W.T. Wire Mesh Trading Sdn. Bhd. was also founded as a primary wire mesh manufacturing factory in Melaka, Malaysia.

Through the continuous commitment and support of our loyal employees and customers, Yik Sing and W.T. Wire Mesh has grown into one of the biggest wire mesh, chain-link fencing, barbed wire, razor barb wire, chicken nettings, and BRC manufacturer and supplier.

Committed to all our stakeholders, Yik Sing and W.T. Wire Mesh strongly value the importance of quality, service and efficiency in all aspects of our operations. Acknowledged as the industry leader in the market, we aim to obtain SIRIM and ISO 22000 in the near future.

While we continue to grow and expand within our local Malaysia market, Yik Sing and W.T. Wire Mesh are aiming towards global platform.





PERNIAGAAN YIK SING SDN. BHD.

(577126-M)
No. 21, Jalan Kepong,
Jinjang Selatan,
52000 Kuala Lumpur, Malaysia.
Tel: +603 - 6257 6734
+603 - 6253 2313
Fax: +603 - 6257 1284

W.T. WIRE MESH TRADING SDN BHD

(530651-T)
Lot 253, Jalan PBR 30,
Bukit Rambai Industrial Estate,
75250 Melaka, Malaysia.
Tel: +606 - 351 6378
+606 - 351 6379
Fax: +606 - 351 6380

E-mail : sales@yiksing.com.my

www.yiksing.com.my